

Design: FLUTE

BASIC INFORMATION

Number of colour ways	25	Tariff item number	5211390090
MID	INDEEHOM16	Country of origin	India
Characteristics	Flat Weave	Vertical repeat cm	Plain
Vertical repeat inch	Plain	Horizontal repeat cm	Plain
Horizontal repeat inch	Plain	Face in	Yes
Full width roll	Yes	Full roll diameter cm	17
Full roll diameter inch	6.7	Average piece length m	30
Minimum for special colour m	1000	Delivery time weeks special lab dip	2
Railroaded	Yes		

CARE AND USAGE

Care code for washing °F Washable at 85°F gentle cycle

Care codes



Care code for bleaching Do not bleach

Use codes

- | | |
|---------------|--------------------------|
| Curtains ✓ | Curtains and draperies ✓ |
| Upholstery ✓ | Bed covering ✓ |
| Accessories ✓ | Maritime |

Design: FLUTE

FABRIC SPECIFICATIONS

Composition	60% Cotton, 40% Polyester	Average yarn number	63.28
Construction	102.36x36.22	Woven	Yes
Useable width cm	3.00	Useable width inch	118.11
Full width cm	302	Full width inch	118.9
Weight g/m ²	219	Thickness mm	0.000
Colouring type	Piece dyed		

Treatment

Bio treatment	Flame retardant
Soil and stain repellent	Brushed/emersed
Backing	Anti-bacterial/microbial
Mildew resistant	Odour resistant
Stain-free technology	PFC free
Other treatment	No treatment ✓

Type of finish

Calender ✓	Sanforized
Thermofixed	Washed ✓
Airo	Stenter

Type of print or dye

Disperse ✓	Reactive ✓
Vat	Pigment

Weaving type

Plain	Twill
Satin ✓	Dobby
Jacquard	Pile
Other	

FABRIC TYPE

There are no technical details for this section.

Design: FLUTE

ENVIRONMENTAL STANDARDS



FR STANDARDS

BS5852 source 0	Yes	CAL 117 Complies	Yes
EN13773	No	FMVSS 302 Pass	Yes
NFPA 260	Yes		

Design: FLUTE

MECHANICAL PERFORMANCE

Martindale rubs	25,000	Colour fastness to light	5
Wyzenbeek double rubs	80,000	Pilling	4-5
Wyzenbeek wire screen double rubs - residential use, stopped after 15 000 double rubs	15,000	Wyzenbeek cotton duck type heavy upholstery	Yes
Wyzenbeek wire screen heavy duty	Yes		
Colour fastness to light - ISO 105-B02			
Colour fastness to light	5		
Colour fastness to water - ISO 105-E01			
Colour fastness to water	4-5		
Colour fastness to dry rub - ISO 105-X12			
Colour fastness dry rub	4-5		
Colour fastness to wet rub - ISO 105-X12			
Colour fastness wet rub	4		
Colour fastness to wear - ISO 12947-2			
Colour fastness to wear	4		
Tearing strength - ISO 13937-3			
Tearing strength warp N	33	Tearing strength weft N	42
Tensile strength - ISO 13934-1			
Tensile strength warp N/5cm	1100	Tensile strength weft N/5cm	1000
Elongation - ISO 13934-1			
Elongation warp %	34.5	Elongation weft %	16.5
Seam slippage - ISO 13936-2			
Seam slippage warp mm	2.0	Seam slippage weft mm	3.0
Dimensional stability (indicated in %) - ISO 3759			
Dimensional change warp	-0.19	Dimensional change warp after ironing with steam	-0.13
Dimensional change warp after ironing without steam	0.00	Dimensional change weft	-0.15
Dimensional change weft after ironing with steam	0.13	Dimensional change weft after ironing without steam	0.00

Design: FLUTE

WASHABILITY

Resistance to domestic washing 30° C, indicated in % - ISO 6330

Dimensional change warp	-1.13	Dimensional change warp after ironing	-1.13
Dimensional change weft	-2.23	Dimensional change weft after ironing	-2.20
Colour fastness ISO 105 C06	4-5		

Resistance to domestic washing 60°C, indicated in % - ISO 6330

Dimensional change warp	-2.03	Dimensional change warp after ironing	-2.27
Dimensional change weft	-2.73	Dimensional change weft after ironing	-2.20
Colour fastness ISO 105 C06	4-5		

Resistance to dry cleaning P, indicated in % - ISO 105 D01

Dimensional change warp	-0.80	Dimensional change warp after ironing	-0.87
Dimensional change weft	-0.90	Dimensional change weft after ironing	-0.87
Colour fastness ISO 105 D01	4-5		

CONSTRUCTION

Yarn 1

Warp Composition	100% Polyester	Warp Is Filament	Yes
Warp Is Not High Tenacity	Yes	Warp Is Textured	Yes
Warp Sizes	65 D	Warp Textured	Yes
Warp Threads per cm	102.36	Warp TPM	NA

Yarn 2

Weft Composition	100% Cotton	Weft Is Not High Tenacity	Yes
Weft Is Staple	Yes	Weft Sizes	2/36 s
Weft Threads per cm	36.22	Weft TPM	NA

Design: FLUTE

DOWNLOADS / CERTIFICATES

There are no technical details for this section.