


TECHNICAL FABRIC DETAILS

TAVE




Tave is a highly resistant and durable synthetic leather recommended for outdoor and indoor use. Great for upholstery and is available in 3 colors.



Article specification

Width	140 cm
Horizontal repeat cm	PLAIN
Vertical repeat cm	PLAIN
Composition	83% PVC 2% PU 15% COT
Weight	700 g/m ²
Thickness (mm)	1.2 MM

Cleaning Instructions



Use Code

Upholstery
Accessories
Outdoor

Environmental Standards

FR Standards

BS5852 : 2006 CRIB 5

Finish

EasyLife is the innovation to facilitate the cleaning of upholstery fabrics.

Optional Fabric Treatment

Mechanical Performance

Abrasion Test / Martindale Rubs (EN ISO 12947-1,2)	+ 100.000
Piling Test (EN ISO 12945-2)	
Colour Fastness to light (ISO 105-B02-2)	7
Colour fastness to dry rub (EN ISO 105-X12)	Dry: Wet:
Tearing strength (ISO 13937-3)	Warp: 25 N Weft: 20 N
Tensile Strenght (EN ISO 13934-1)	Warp: 450N Weft: 300N
Colour fastness to artificial weathering (ISO 105-B04)	
Seam slippage (ISO 13936-2)	Warp: Weft:
Colour fastness to chlorinated water (ISO 105-E03)	
Ultraviolet protection factor UPF (AZ/NZS 4399/1996)	
Spray test (ISO 24920)	
Shrinkage to washing (ISO 5077:2007)	Warp: Weft:
Water column mm (ISO 20811)	



Damaceno & Antunes
Rua da Alegria 387,
4475-310 Milheirós - Maia
+351229059160 info@damaceno-antunes.pt